



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/554,376	11/16/2006	Timothy J. Mousley	GB 030205	9086
24737	7590	02/05/2008	EXAMINER	
PHILIPS INTELLECTUAL PROPERTY & STANDARDS			DEAN, RAYMOND S	
P.O. BOX 3001			ART UNIT	PAPER NUMBER
BRIARCLIFF MANOR, NY 10510			2618	
MAIL DATE		DELIVERY MODE		
02/05/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/554,376	MOULSLEY ET AL.	
	Examiner Raymond S. Dean	Art Unit 2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

-)
- 1) Responsive to communication(s) filed on 16 November 2006.
 2a) This action is FINAL. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-8 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) _____ is/are allowed.
 6) Claim(s) 1-8 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on 26 October 2005 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Specification

1. The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.
 - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

2. The disclosure is objected to because it contains an embedded hyperlink and/or other form of browser-executable code (See Page 4, line 1 of Applicants' specification).

Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1 – 8 are rejected under 35 U.S.C. 102(b) as being anticipated by Hwang et al. (US 2002/0077141)

Regarding Claim 1, Hwang teaches a mobile station (200) for use in a communication system having a base station (100) (Figure 4, mobile station (UE, 411), base station (NODE B1, 401 or NODE B2, 403), the mobile station (200) comprising: receiver means (220) for receiving from the base station (100) a first downlink signal (Figures 1B, 6, Sections 0007, 0152 lines 1 – 3, 0153, 0154, the downlink dedicated channel (DL_DCH) comprises the downlink signal); measurement means (250) for measuring a parameter of the received first downlink signal (Figure 6, Sections 0155 lines 11 – 17, lines 23 – 31, the dedicated channel pilot strength is a parameter of the downlink signal); power control means (230) for generating first power control commands in response to the measured parameter (Sections 0067 lines 7 – 9, 0155 lines 23 – 31, transmission power control (TPC)); and transmitter means (240) for transmitting the first power control commands to the base station (100) (Section 0067

lines 7 – 9); wherein the measurement means (250) is adapted to measure the parameter of the first downlink signal while first downlink signal is modulated with non-predetermined data values and is subjected to transmit power control in accordance with the first power control commands (Sections 0007, 0067 lines 7 - 9, 0155 lines 11 – 17, lines 23 – 31, the DL_DCH comprises a signal modulated with TPC values, which are non-predetermined data values).

Regarding Claim 6, Hwang teaches a method of operating a communication system comprising a base station (100) and at least one mobile station (200) (Figure 4, mobile station (UE, 411), base station (NODE B1, 401 or NODE B2, 403), comprising at the base station (100), receiving first power control commands transmitted by the mobile station (200) (Sections 0067 lines 7 – 9, 0155 lines 23 – 31, transmission power control (TPC)) and transmitting a first downlink signal modulated with non-predetermined data values and subjected to transmit power control in accordance with the first power control commands (Sections 0007, 0067 lines 7 - 9, 0155 lines 11 – 17, lines 23 – 31, the downlink dedicated channel (DL_DCH) comprises the downlink signal, the DL_DCH comprises a signal modulated with TPC values, which are non-predetermined data values), and at the mobile station (200), receiving the first downlink signal (Figure 6, Sections 0152 lines 1 – 3, 0153, 0154), measuring a parameter of the first downlink signal modulated with the non-predetermined data values (Figure 6, Sections 0155 lines 11 – 17, lines 23 – 31, the dedicated channel pilot strength is a parameter of the downlink signal), generating the first power control commands in

response to the measured parameter, and transmitting the first power control commands (Sections 0067 lines 7 – 9, 0155 lines 23 – 31).

Regarding Claim 2, Hwang teaches all of the claimed limitations recited in Claim 1. Hwang further teaches wherein the receiver means (220) is adapted to receive from the base station a second, non-power controlled downlink signal and to derive a channel estimate from the second downlink signal, and to employ the channel estimate to decode the first downlink signal (Section 0156 lines 7 – 14, the channel estimation provides phase shift information about the downlink signal which can aid in decoding said signal, the common pilot signal is used in order provide channel estimation, which leads to TPC generation, in order for said channel estimation and said TPC generation to occur said common pilot signal will need to be at a constant power level thus non-power controlled).

Regarding Claim 3, Hwang teaches all of the claimed limitations recited in Claim 1. Hwang further teaches wherein the power control means (230) is adapted to decode the non-predetermined data values comprising second power control commands and to adjust the transmit power of the transmitter means in accordance with the decoded second power control commands (Sections 0155 lines 11 – 17, lines 23 – 31, TPC output from the DEMUX).

Regarding Claim 4, Hwang teaches all of the claimed limitations recited in Claim 1. Hwang further teaches a radio communication system comprising a base station (100) and at least one mobile station (200) (Figure 4).

Regarding Claim 5, Hwang teaches all of the claimed limitations recited in Claim 4. Hwang further teaches the base station comprising a receiver means (120) for receiving the first power control commands (Sections 0067 lines 7 – 9, 0155 lines 23 – 31) and a transmitter means (140) for transmitting the first downlink signal modulated with non-predetermined data values and subjected to transmit power control in accordance with the first transmit power control commands (Sections 0007, 0067 lines 7 - 9, 0155 lines 11 – 17, lines 23 – 31, the downlink dedicated channel (DL_DCH) comprises the downlink signal, the DL_DCH comprises a signal modulated with TPC values, which are non-predetermined data values).

Regarding Claim 7, Hwang teaches all of the claimed limitations recited in Claim 6. Hwang further teaches at the base station (100), transmitting a second downlink signal at a constant power level, and at the mobile station (200), receiving the second signal, deriving a channel estimate from the second downlink signal, and employing the channel estimate to decode the first downlink signal (Section 0156 lines 7 – 14, the channel estimation provides phase shift information about the downlink signal which can aid in decoding said signal, the common pilot signal is used in order provide channel estimation, which leads to TPC generation, in order for said channel estimation and said TPC generation to occur said common pilot signal will need to be at a constant power level thus non-power controlled).

Regarding Claim 8, Hwang teaches all of the claimed limitations recited in Claim 6. Hwang further teaches at the base station (100), arranging for the non-predetermined data values to comprise second power control commands and, at the

mobile station (200), decoding the second power control commands and adjusting the transmit power of the mobile station (200) in accordance with the second power control commands (Sections 0155 lines 11 – 17, lines 23 – 31, TPC output from the DEMUX).

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond S. Dean whose telephone number is 571-272-7877. The examiner can normally be reached on Monday-Friday 6:00-2:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward F. Urban can be reached on 571-272-7899. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Raymond S. Dean
January 22, 2008